



2026 CATALOG • WWW.CQTWEAPONSYSTEMS.COM



OUR MISSION

Our commitment to you: In Support of the war fighter, CQT Weapon Systems provides exclusive and unsurpassed manufacturing and product development by utilizing our knowledge and expertise in all aspects of government operations worldwide. Our levels of expertise include and are not limited to, advance research and development, rapid prototyping and custom product creation by utilizing the latest in advanced engineering and manufacturing technologies. We take pride in making sure our materials are sourced from the U.S.A.. CQT Weapon Systems values the possibility to assist with your next project and we look forward to the opportunity to gain your business. For manufacturing or product development please reach out to one of our specialists for assistance in putting together custom-tailored weaponry and related items that fulfill your needs.

CQT Weapon Systems offers a full line of combat rifles that will fit your specific needs.

SNK15 SERIES

SNK 9 PCC	4-5
SNK56/30 & SNK56/30 SBR	6-7
SNK56 PISTOL & SNK30 PISTOL	8-9
SNK56 DMR	10-11

CQT15 SERIES

CQT15 & CQT30 PISTOL	12-13
CQT15/30 & CQT15/30 SBR	14-15

MUZZLE DEVICES


HANDGUARDS	16-17
------------	-------

BARREL SOLUTIONS	18-19
------------------	-------

DEADPOINT LIGHTS	20-21
------------------	-------

ACCESSORIES, TOOLS & TACTICAL PENS	22
------------------------------------	----

	23
--	----





CQT WEAPON SYSTEMS

SNK

SERIES

The CQT Weapon Systems Difference

CQT Weapon Systems uses the latest in engineering technology and materials to manufacture weapon systems that far exceed all military specifications. All materials are sourced from the U.S.A.

The SNK Series utilizes CQT Weapon Systems drop in trigger assembly that allows for superior reliability and maintenance. Upper and Lower receivers are machined from billet 7075 aluminum, far exceeding military specifications. The choice of Type 3 Anodizing or Cerakote® finish gives the SNK Series the options of a multitude of colors that will last through the toughest of conditions and operations.

COTWS SNK 9 PCC



SNK 9 PCC

Caliber: 9mm

Operation: Semi Auto

Weight: 5.61 lbs.

Barrel Length: 16"



SNK9 SERIES OF PISTOL CALIBER RIFLES/PISTOLS



Coming Soon!

RECEIVER:

- Finish type - Cerakote®.
- Upper Receiver A3 Flattop Billet 7075 T-6, Built to exceed Mil Spec Dimensions and Tolerances.
- Bolt Carrier Shot Peened, Magnetic Particle Inspected. Mil Spec 8620 Carrier, 9310 Steel Bolt.
- Lower Receiver Billet 7075 T-6 aluminum built to exceed M4 Mil Spec Dimensions and Tolerances.
- Uses Glock Style Magazines.

HANDGUARD:

- CQT Aluminum M-Lok Rail.
- Defiance Steel Flip Up Front and Rear Sights.
- Hexmag Advanced Tactical Grip(ATG).

BARREL:

- 4150V M4 Contour, Free Float, Nitride coated.
- Barrel Twist Rate 1:10
- Available Barrels Lengths: 16", 10.5", 9" and 6".
- CQTWS Muzzle Device.

MAGAZINE:

- 1 Glock Style Magazine.

STOCK:

- 6 Position Mission First Minimalist Polymer Stock On Rifles Only.

Made in the U.S.A.

SNK56-SNK30-SBR

6



CQTWEAPONSYSTEMS.COM



SNK56/SNK30 & SBR

Caliber: 5.56 NATO, 300 Blackout

Operation: Semi Auto

Weight: 6.9 lbs.

Barrel Length: 16"

SBR Weight: 5.61 lbs.

SBR Barrel Length: 10.5"



RECEIVER:

- Finish Type - Type III Cerakote or Cerakote®.
- Upper Receiver A3 Flattop Billet 7075 T-6, Built to Exceed Mil Spec Dimensions and Tolerances.
- Bolt Carrier Shot Peened, Magnetic Particle Inspected. Mil Spec 8620 Carrier, 9310 Steel Bolt.
- Lower Receiver Billet 7075 T-6 Aluminum Built to Exceed M4 Mil Spec Dimensions and Tolerances.
- CQT Drop in Trigger.
- QD Backplate

HANDGUARD:

- 15" CQT Aluminum M-Lok Rail. SBR 9.5" CQT Aluminum M-Lok Rail.
- Defiance Steel Flip Up Front and Rear Sights.
- Hexmag Advanced Tactical Grip(ATG).

BARREL:

- 4150V Lightweight Contour, Free Float, Nitride coated.
- DT™ Dissipator Technology Gas System.
- Barrel Twist Rate 1:7(5.56), 1:7(300 Blackout)
- A2 flash hider.

MAGAZINE:

- 1 Polymer Hexmag™.

STOCK:

- 6 Position Mission First Minimalist Polymer Stock.

Made in the U.S.A.

SNK56 & SNK30 PISTOL

Pictured with Optional Pistol Brace



SNK56 & SNK30 PISTOL

Caliber: 5.56 NATO, 300 Blackout

Operation: Semi Auto

Weight: 5.61 lbs.

Barrel Length: 7.5" & 10.5" - 5.56, 8" 300



SNK56 & SNK30 PISTOL



RECEIVER:

- Finish type - Type III Cerakote or Cerakote®..
- Upper Receiver A3 Flattop Billet 7075 T-6, Built to exceed Mil Spec Dimensions and Tolerances.
- Bolt Carrier Shot Peened, Magnetic Particle Inspected. Mil Spec 8620 Carrier, 9310 Steel Bolt.
- Lower Receiver Billet 7075 T-6 aluminum built to exceed M4 Mil Spec Dimensions and Tolerances.
- CQT drop in trigger.
- Ambidextrous Safety Selector.
- Ambidextrous Charging Handle.
- QD Backplate

HANDGUARD:

- CQT Aluminum M-Lok Rail.
- Defiance Steel Flip Up Front and Rear Sights.
- Hexmag Advanced Tactical Grip(ATG).

BARREL:

- 4150V Chrome Moly M4 Contour, Free Float, Nitride coated.
- DT™ Dissipator Technology Gas System.
- Barrel Twist Rate 1:7(5.56), 1:7(300 Blackout)
- A2 flash hider.

MAGAZINE:

- 1 Polymer Hexmag™.

Made in the U.S.A.

SNK56 DMR

10



CQTWEAPONSYSTEMS.COM



SNK56 DMR

Caliber: 5.56 NATO
Operation: Semi-Auto
Weight: 5.6 lbs.
Barrel Length: 18"



RECEIVER:

- Finish type - Type III Anodize or Cerakote®.
- Upper Receiver A3 Flattop Billet 7075 T-6, Built to exceed Mil Spec Dimensions and Tolerances.
- Bolt Carrier Shot Peened, Magnetic Particle Inspected. Mil Spec 8620 Carrier, 9310 Steel Bolt.
- Lower Receiver Billet 7075 T-6 aluminum built to exceed M4 Mil Spec Dimensions and Tolerances.
- CQT 2 stage drop in trigger.
- Ambidextrous Safety Controls.
- Ambidextrous Charging Handle.
- QD Backplate

HANDGUARD:

- CQT Aluminum M-Lok Rail.
- Defiance Flip Up Front and Rear Sights.
- Hexmag Advanced Tactical Grip(ATG).

BARREL:

- 4150V 18" Free Float, Nitride coated.
- DT™ Dissipator Technology Gas System.
- Barrel Twist Rate 1:7.
- A2 flash hider.

MAGAZINE:

- 1 Polymer Hexmag™.

STOCK:

- MAGPUL PRS Stock.

Made in the U.S.A.

CQT15-CQT30 PISTOL

12



CQTWEAPONSYSTEMS.COM

CQT15 & CQT30 PISTOL

Caliber: 5.56 NATO, 300 Blackout

Operation: Semi Auto

Weight: 5.61 lbs.

Barrel Length: 7.5" & 10.5" - 5.56, 9" 300

CQT15 & CQT30 PISTOL



RECEIVER:

- Finish type - Type III Anodize .
- Upper Receiver A3 Flattop Forged 7075 T-6, Built to exceed Mil Spec Dimensions and Tolerances.
- Bolt Carrier Shot Peened, Magnetic Particle Inspected. Mil Spec 8620 Carrier, 9310 Steel Bolt.
- Lower Receiver Forged 7075 T-6 aluminum built to exceed M4 Mil Spec Dimensions and Tolerances.
- Mil Spec Trigger.
- Standard Backplate
- Pistol Buffer Tube.

BARREL:

- 4150 Government Profile, Free Float, Nitride Coated.
- DT™ Dissipator Technology Gas System.
- Barrel Twist Rate 1:7(5.56), 1:7(300 Blackout)
- A2 flash hider.

HANDGUARD:

- CQT Aluminum M-Lok Rail.
- Defiance Polymer Flip Up Front and Rear Sights.
- Pistol grip A2 style.


MAGAZINE:

- 1 Polymer Hexmag™.

STOCK:

- Optional 6 Position Polymer Brace.

Made in the U.S.A.



CQ15.CQ30

CQWEAPONSYSTEMS.COM

CQ15/CQ30 & SBR

Caliber: 5.56 NATO, 300 Blackout

Operation: Semi Auto

Weight: 6.9 lbs.

Barrel Length: 16"



RECEIVER:

- Finish type - Type III Anodize or Cerakote®.
- Upper Receiver A3 Flattop Forged 7075 T-6, Built to exceed Mil Spec Dimensions and Tolerances.
- Bolt Carrier Shot Peened, Magnetic Particle Inspected. Mil Spec 8620 Carrier, 9310 Steel Bolt.
- Lower Receiver Forged 7075 T-6 aluminum built to exceed M4 Mil Spec Dimensions and Tolerances.
- Mil Spec Trigger.
- Standard Backplate

BARREL:

- 4150V Chrome Moly M4 Contour, Free Float, Nitride coated.
- DT™ Dissipator Technology Gas System.
- Barrel Twist Rate 1:7(5.56), 1:7(300 Blackout)
- A2 flash hider.

HANDGUARD:

- CQT Aluminum M-Lok Rail.
- Pistol grip A2 style.
- Defiance Polymer Flip Up Front & Rear Sights

MAGAZINE:

- 1 Polymer Hexmag™.

STOCK:

- 6 Position Mission First Minimalist Polymer Stock.

Made in the U.S.A.

CQTWS MUZZLE DEVICES



CQTWS MUZZLE DEVICES

Machined from 4140
Rated from 9mm-.30 Cal.
Available In:
5/8-24 Thread
1/2-28 Thread
Interchangeable Inserts

CQTWS MUZZLE DEVICES



CABALISTIC
9mm, 5.56, 300 Blackout & 7.62 Calibers
1/2-28 Thread & 5/8-24 Thread



ARCANE
9mm, 5.56, 300 Blackout & 7.62 Calibers
1/2-28 Thread & 5/8-24 Thread



Blast Cone Insert



HUGGER MUGGER
9mm, 5.56, 300 Blackout & 7.62 Calibers
1/2-28 Thread & 5/8-24 Thread



Blast Cone Insert

CQT Weapon Systems muzzle devices are manufactured out of 4140. Our line of muzzle devices are designed to reduce muzzle blast and rise. The two piece design allows the ability to interchange inserts. Each insert is designed to provide a unique shooting experience. The 'Blast Cone' insert is a true disruption design. While the 'Linear' insert is meant for a very smooth linear dispersing of gases. Each insert reduces or eliminates the blow back and pressure felt on the shooter while keeping the gun level. Three unique designs are available in 1/2-28 and 5/8-24 threads, Cabalistic, Arcane and Hugger-Mugger.

Made in the U.S.A.



CQTWS HANDGUARDS




CQTWS HANDGUARDS

Available in the following lengths:
15", 12", 9.5" & 7.5"

Available Colors: Graphite Black, OD
Green, FDE and Sniper Grey

CQTWS HANDGUARDS



CQTWS HANDGUARDS

- Made from 6061 Aluminum
- Available in 15", 12", 9.5" & 7.5"
- M-LOK Compatible.
- Cerakote Black, O.D. Green, FDE, Sniper Grey.
- Made in U.S.A.



CQTWS BARRELS

The heart of all CQTWS Weapons are their barrels. Each CQTWS Barrel is 100% machined in house in our barrel cell. Precision drilled, reamed and rifled then onto the CNC's for profiling. Once these steps are complete each barrel is precision manually chambered to ensure the most precise barrel available.

Available In: 4140, 4150 & 416 Stainless

*Fluting is not available in all lengths

CQT WEAPON SYSTEM BARREL SOLUTIONS



Special Activities Series (SAS)

- 4140, 4150 and 416 Stainless Steel
- Available in 11", 13.7", 14.5", 16"
- Available in 9mm, .223/5.56, 300 Blackout

Para Series

- 4140, 4150 and 416 Stainless Steel
- Available in 4", 5.5", 7.5", 8", 10.5", 13.7", 16"
- Available in 9mm, .223/5.56, 300 Blackout

Twisted Steel Series

- 4140, 4150 and 416 Stainless Steel
- Available in 6", 8", 10.5", 16"
- Available in 9mm, .223/5.56, 300 Blackout

Linear Series

- 4140, 4150 and 416 Stainless Steel
- Available in 6", 8", 9", 16", 18"
- Available in 9mm, .223/5.56, 300 Blackout



PISTOL BARRELS

- 416 R Standard
- Available Coatings:
 - DLC
 - Black Nitride
 - TiNitride
- Glock 17, 19, 26, 43.
- SIG 320
- Threaded or Non-Threaded.
- Fluted or Non-Fluted.

Lengths	Calibers		
	9mm	5.56	300
4"	X		
5.5"	X		X
6"	X		
7.5"		X	
8"		X	X
9"	X		
10.5"	X	X	
11"		X	
13.7"		X	
14.5"		X	
16"	X	X	X
18"		X	

CQTWS - OPTIC RISER

The CQTWS Optic Riser provides the operator with a quick and easy sight picture in all types of environments. The taller centerline height makes it easier to acquire your sight picture, especially while wearing tactical gear, helmets, plate carries and other tacticool gear. This taller height reduces neck strain and promotes a more efficient shooting posture.

OPTIC RISER

CQT WEAPON SYSTEMS optics risers utilize the latest engineering technology and materials to produce a high performance Optic mount. CQT weapon systems Optic Risers are machined out of 6160 & CERAKOTE Coated. All hardware is 4140 and nitrided for durability against all types of conditions.

Specifications:

Optic Riser Height - 2.26"


Material - Riser 6061, Hardware 4140

100% MANUFACTURED AND DESIGNED IN THE U.S.A.



ARMORERS WRENCH

CQT Weapon Systems Armorer's wrench is made in the U.S.A. Using solid tool steel and Cerakoted for durability. Fits standard size flash hiders and engages both stock and pin-style barrel nuts. Also has 1/4" and 3/8" Hex Drives and 1/2" Torque Drive. Available in Black.



CQTWS - TACTICAL PEN

The CQT Tactical Pen is a highly engineered writing instrument. But once the fight starts, it's an extreme force multiplier to enable success. Designed by Close Quarters Tactical, LLC Instructor Cadre.

SPECIFICATIONS:

Overall Length: 5.6875" (144.46 mm)

Handle: 6061 Aluminum


Style: Accessory

Pen Diameter: 0.5" (12.7 mm)

Pen Handle: 6061 Aluminum


Pen Refill: Standard refill cartridge

Color Options: Black, Burnt Bronze, Sniper Grey, FDE & OD Green





Coming Soon



Installation takes minutes.....
No gunsmithing required!

- 303 STAINLESS STEEL GUIDE ROD
- INTERNAL LED LIGHT
- HIGH END RECOIL SPRING
- EXTENDED TAKE DOWN LEVER
- AMBIDEXTROUS ON/OFF CONTROL
- MADE IN THE U.S.A.

AVAILABLE FOR THE FOLLOWING:

GLOCK GEN 3 17/22/31
GLOCK GEN 3 19/23/32
GLOCK GEN 3 26/27/33
GLOCK GEN 4 17/22/31
GLOCK GEN 4 19/23/32
GLOCK GEN 4 26/27/33
GLOCK GEN 4 42X
GLOCK GEN 4 43

COMING SOON:
CQTWS K2

SAR 9

SIG 320

SIG 365

The Deadpoint weapon light replaces your factory guide rod with an internal weapon light & guide rod assembly.

This essential add-on is perfect for every EDC, personal defense, and tactical purpose. It allows you the opportunity to add a flashlight to your favorite pistol without having to purchase yet another holster. DeadPoint also keeps your handgun compact and very well balanced.





ENGINEERED TO DEFEND YOUR FREEDOMS

PLEASE CALL AND TALK TO A CUSTOM SOLUTIONS EXPERT FOR YOUR NEEDS.

PHONE: 586-212-9514 • EMAIL: SALES@CQTWEAPONSYSTEMS.COM

15773 LEONE DRIVE - MACOMB TOWNSHIP, MI 48042

WWW.CQTWEAPONSYSTEMS.COM

